



Port/LED		Function	
1	3.5mm Audio Port	 Connect an Audio Device 4 Position Audio Jack for Headset use 	
2	USB-A Ports x 2	 Connect a USB Storage Device (e.g. flash drive), or USB Peripheral Device USB-A 3.1/3.0 (5Gbps) 	
3	Power LED	 Solid: The Docking Station is connected and receiving power 	

Port/LED		Function	
4	DC 20V Port	 Connect the Universal Power Adapter to supply power to the Docking Station Type-N barrel connector 20V 2A 	
5	USB-B Host Port	Connect the Host Computer	
6	Video 1 Ports	 Connect a DisplayPort Enabled Display Device DisplayPort Version 1.2 Or Connect an HDMI Enabled Display Device HDMI Version 2.0 	
7	Video 2 Ports	 Connect a DisplayPort Enabled Display Device DisplayPort Version 1.2 Or Connect an HDMI Enabled Display Device HDMI Version 2.0 	
8	RJ45 Port	Connect a Network Device	
9	RJ45 LEDs (above the RJ45 Port)	 Green: The Docking Station detects a link speed of 10 Mb, 100 Mb, or 1 Gb Flashing Amber: Indicates network activity 	
10	USB-A Ports x 4	 Connect a USB Storage Device (e.g. flash drive), or USB Peripheral Device USB-A 3.1/3.0 (5Gbps) 	

Requirements

Depending on the **Host Laptop's** operating system, the required drivers will automatically be installed when the **Docking Station** is connected and powered on. For the latest drivers, requirements, and instructions, please visit: <u>www.startech.com/DK30A2DHU</u>.

Note: If the drivers do not automatically install, navigate to the **Support** tab to locate the driver installation instructions and downloads.

To view manuals, FAQs, videos, drivers, downloads, technical drawings, and more, visit www.startech.com/support.

Manual Revision: August 11, 2020 4:25 PM

Installation

Connecting a Host

 Connect the USB-C to USB-B Cable (included) or the USB-A to USB-B Cable (included) to the USB-B Host Port on the rear of the Docking Station and the other end to a USB Port on the Host Computer.

Connecting the Display Devices

- 1. Connect a DisplayPort or HDMI Cable to the DisplayPort or HDMI Enabled Display Device and to the Video 1 DisplayPort Port or Video 1 HDMI Port on the rear of the **Docking Station**.
- 2. Repeat step 2 to add a second **DisplayPort** or **HDMI Enabled Display Device** to the Video 2 Ports on the rear of the Docking Station.

Connecting Peripherals

- 1. Connect an Audio Device to the 3.5 mm Audio Port on the front of the Docking Station.
- 2. (Optional) Connect a **USB-A Storage Device** or other **USB-A Peripheral** to the **USB-A Ports** on the front and/or rear of the **Docking Station**. Connect up to 6 total USB Devices (2 front, 4 rear).
- 3. Connect a CAT5e/6 Cable to the RJ45 Port on the rear of the Docking Station and to an RJ45 Port on a compatible Network Device.

FCC Compliance Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 Consult the dealer or an experienced radio/TV technician for help
- This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by StarTech.com could void the user's authority to operate the equipment.

Industry Canada Statement

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe [B] est conforme à la norme NMB-003 du Canada.

CAN ICES-3 (B)/NMB-3(B)

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

(1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

IC Radiation Exposure Statement

This equipment complies with IC RSS-102 radiation exposure limit set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0.5cm between the radiator and your body.

Use of Trademarks, Registered Trademarks, and other Protected Names and Symbols

This manual may make reference to trademarks, registered trademarks, and other protected names and/or symbols of thirdparty companies not related in any way to StarTech.com. Where they occur these references are for illustrative purposes only and do not represent an endorsement of a product or service by StarTech.com, or an endorsement of the product(s) to which this manual applies by the third-party company in question. StarTech.com hereby acknowledges that all trademarks, registered trademarks, service marks, and other protected names and/or symbols contained in this manual and related documents are the property of their respective holders.

Powering the Docking Station

- 1. Select the appropriate regional **Power Cord** and connect it to the **Universal Power** Adapter.
- 2. Connect the Universal Power Adapter to the DC 20V Port on the rear of the Docking Station and to an AC Electrical Outlet.

Operation

Configure the Displays

• Use the Windows or macOS operating system to adjust display settings for multiple DisplayPort and/or HDMI Enabled Display Devices.

Warranty Information

This product is backed by a three-year warranty.

For further information on product warranty terms and conditions, please refer to www.startech.com/warranty. Limitation of Liability

In no event shall the liability of StarTech.com Ltd. and StarTech.com USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.

Safety Measures

If product has an exposed circuit board, do not touch the product under power.

Mesures de sécurité

• Si l'un des circuits imprimés du produit est visible, ne pas touchez le produit lorsqu'il est sous tension.

安全対策

製品に露出した状態の回路基盤が含まれる場合、電源が入っている状態で製品に触らないでください。 .

Misure di sicurezza

Se il prodotto ha un circuito stampato visibile, non toccare il prodotto quando è acceso.

Säkerhetsåtgärder

Rör aldrig vid enheter med oskyddade kretskort när strömmen är påslagen.

StarTech.com Ltd. 45 Artisans Cres London, Ontario N5V 5E9 Canada	StarTech.com LLP 2500 Creekside Parkwy Lockbourne, Ohio 43137 U.S.A.	StarTech.com Ltd. Unit B, Pinnacle 15 Gowerton Rd, Brackmills Northampton NN4 7BW United Kingdom	FR: fr.startech.com DE: de.startech.com ES: es.startech.com NL: nl.startech.com JP: jp.startech.com
---	---	--	---